
COUNTRY YUGOSLUVLA REPORT NO.	
TOTAL ZAGREE - BELGRADE Railroad Line	
	enter the control of
DATE OF CONTUNT	or 1949
PAGES ENCLOSURES (NO. & TYPE)	
25X1	

#### 19/8

THIELLS...

- General description: Double-track, standard-gauge, 414 km. Two separate lines as far as the NCVSKA railroad station, with one track running north and the other south of the Save River.
- 2. ZAGRIB Railroad Stations:
  - Main station; only passenger and transit traffic.
  - b. Engine house with repair shop in the southeastern section of the station area; adjoining locomotive and car repair shop; electrically-operated interlocking plant and si, mal installations.
  - c. The station is equipped with about 20 working tracks in addition to shop tracks. There are some factory tracks in the eastern section of the station.
  - d. Last an Station Preight Station with about 40 tracks, and having connections with the main station and the airfield. The signal shop is located halfway between the main and freight stations; distance from main station is about 3 km.
  - e. Jest Railroad Station: Shunting station with various factor; tracks. Operations in the first half of 1948: 4,874 trains, including 3,907 freight trains, were assembled; loading and unloading averaged of 300 Railroad cars every day.



# Approved For Release 2003/08/11 : CIA-RDP82-00457R003800120010-0

## ZAGRUB - DUGU SELO - MOVERA Section (north of the Save River)

General description: Class 1 trunk line, 106 km., double track as far as DUGO SELO; single track, standardgauge from DUGC SELO on. Operations: 30 trains per 24 hours; permissible number of axles: 120 per train; maximum speed: 80 km per hour; type of rails: S 45a - 45.25 kg/m.

#### Railroad tations:

DUGO SELO: (see Annex 1), 5 locomotives

IVARIO GRAD: 4 team tracks of 700 m usable length each and 300-m loading ramp.

NOVOGLEC: 4 team tracks of 700 m usable length each and a 200-m loading ramp

POPOVACA: 5 team tracks of 700 m usable 1 ngth each and a 300-m loading ramp

5 team traces of 700 m usable length tach and a 300-m loading ramp

Bancva Ja. WGA: (see annex 2)

LIPOVIJAMI: 4 team tracks of 700 m usable length each and a 400-m loading ramp

NOVGLA: (see nimex 3), minor repair shop

#### c. Bridges

5 km before IValle GRAD, Jelenska River, 20 m long 4 km beyond POPOVACA, Jelenska River, 20 m long 4 km beyond ROUSELEC, Cesna River, 50 m long 2 km beyond RUTINA, Rutina River, 20 m long 1 km before BANOVA JARUGA, Biela River, 40 m long 2 km beyond LIPOVIJANI, Cubocke River, 20 m long 3.5% before MOVSKA, Subocke River, 20 m long

3.5" before NOVOKA, Subocha River, 20 m long

# ZAGALB - Cloak - McVola Section (south of the cave diver)

a. General description: Class 2, single track standard-gauge line; 117 km; operations: 20 trains per 24 hours; maximum speed: 60 km per hour; permissible number of axles: 120 por train: type of rails: C - 34.5 kg/m and λa - 35 kg/n.

### Railroad stations:

Valika Syrica: (see annex 4) SISAK: (see annex 5), 2 water containers with a capacity of 50 and 55 cubic meters, 5 locemotives, minor repair shop.


Sloak PuldGhade: (see amex 6)

SUMJA: (see ammex 7), 2 water containers with a capacity of 55 cubic maters each; 4 locomotives

JACAROVAC: (see ...nex 3), 2 water containers with a capacity of 55 cubic meters each.

#### Bridges

3 km beyond LAGHEB, Save Liver, 300 m long (double-track) 1 km beyond Vallk. Godio, odrica arcok, 10 m long



Approved Research se 2003/08/11 : CIA-RDP82-00457R003800120010-0

CONFIDENTIAL

25X1

		•			
8	km	before	LEKENIK, Odra Miver, 20 m long		
			LEKENIK, Duccevec Brook, 10 m long		
7	kın	before	JISAK, Letovanie Brook, 20 m long		
1	km	before	SISAK, Gdra diver, 40 m long		
2	km	beyond	JISAK, kupa diver, 200 m long		
8	km	before	SUNJA, Jabukovac Brook, 10 m long		
3	km	before	SUNJA, Gradusa Brook, 10 m long		
1	kın	before	SUNJA, Slanjeica Brook, 10 m long.		
<u>ن</u> ا	10x 1	tly beyo	and the SUEJA Railroad Station, Kostan	jciea	a Drook
10	m	long		-	
3	km	beyond	DUBICA, Ustica liver, 400 m long	)	
3	lcm	before	JASHOVAC, Save diver, 400 m long	) :	Speed
4.	km	beyond	JASENOVAC, Struge miver, 300 m long	) ]	limit/
					5 km/h

#### 5. HOVERA - E. LGRADE Section

a. General description: Class 1 trunk line, couble track standard-gauge, 308 km; permissible number of axles: 120 per train; maximum speed: 20 km per hour; type of rails: 5 45a - 45.25 kg/m; operations: 60 trains per 24 hours.

#### b. Railroad Stations:

HaJIC: 4 team tracks of 700 m upable length each and a 400-m loading ramp

OKUCAHI: 4 team tracks of 700 m usable length each and a 500-m localing ramp

boy. Gradical: 6 team tracks of 700 m usable length each, 6 team tracks of 400-m usable length each and a 400 m loading ramp

STARO PLIMOVO SLIO: 4 team tracks of 700 m usable length each and a 200-m loading ramp

NOVa hardLA: (see ammex 9)

ORICY.C: 4 team tracks of 700 m usable longth each, 2 team trac s of 400 m usable longth each and a 300-m loading ramp

STRING, 4 team traces of 700 m usable longth each, 3 team trucks of 400mand 500 m usable length, and a 300-m loading ramp

SLAVORSKI BROD: (see annex 10), minor repair shop and car, locomotive and bridge equipment factory. Transfer point from narrow to standard gauge.

DUNJA VATA: 8 team tracks with a usable length of from 350 to 800 m

GallCIN: 4 team tracks of 700 m usable length each and a 400-m locaing ramp

aNDEIJEVOI: 6 team tracks of 700 m usable length each and a 400-m loading ramp

VaBOLJE: (see Annex 11)

MIKANOVOI: 4 team trocks of 700 m usable length each and a 400-m loading ramp

IVallicvo: 4 team tracks of 700 m usable length each and a 400-m loading ramp

	25X1	
\$55 K.2		
CONFIDENTIAL		

# Approvembor-Release 2003/08/11 : CIA-RDP82-00457R003800120010-0

CONFIDENTIAL

25X1

VINKOVCI: (see Armex 12). Important junction and repair shop, About 1; km from the atation is the shunting station, to tracks with a usable length of from 600 to 1,200 m.

MIRROVCI: 4 team truche of 700 m usable los the each and a 200-m loading ramp

Jakkievel: 6 team tracks of 700 m usable longth each and a 300-m loading ramp

CJELETOVOI: 4 team tracks of 700 m usable longth each and a 300-m loading ramp

ILACA: 6 team tracio of 700 m usable length each and a \$60-m leading ramp

PovARMIK: 4 team tracks of 700 m usable length each and a 300-m loading ramp

SID: (see Annex 13)

KUKUJLVCI - ERDEVIK: 4 team trac as of 700 m usable length each and a 300-m loading ramp

HARTINGI: 4 team tracks of 700 m usable length each, 2 team tracks of 300 m usable length each and a 400-m loading ramp

LACAMAK: 4 team tracks of 700 m usable length each

onT. Both hITEROVICA: 6 team tracks of 700 m usable length each, 4 team tracks with a usable length of from 400 to 600 m, 5 team tracks of 300 m usable length each, and a 400-m loading ramp and value stations.

Vuganj: 4 team tracks of 700 m usable loggth each

MULLA: (see annex 14)

FUTILUT: 4 team tracks of 700 m usable length and a 400-m loading ramp

GUMBIROI: 4 team tracks of 700 m usable length each

57..da PAZOVA: 6 toam tracks of 800 m usable longth each, 4 team tracks with a usable longth of from 400 to 600 m and a 400-m loading ramp

VoJkA: 4 team tracks of 800 m usable length each and a car repair shop

NOVA PAZOVA: 4 team tracks of 800 m usable length each and a 400-m loading ramp

SakaJETCa: (see ammex 15); railroad materials depot

ZELUN: (see annex 16)

DULYGRADE:

rassenger station: railhead with 8 trac's of 400 m usable length each; narrow-gauge station with 6 tracks of 400 m usable length each.

shunting station: 40 tracks with a usable length of from 300 to 1,000 m; engine houses, locomotive and car repair shops water lower with a capacity of 300 cubic meters; 24 m turntable.

direction of the length to tracks of 900 m usable length each and 6 tracks of 400 m usable length each.

_	25X1
Gerous II-	
CONFIDENTIA	<u> </u>

# Approved For Release 2003/08/11 : CIA-RDP82-00457R00 3800120010-0


CONFIDENTIAL


25X1

#### c. Bridges:

4 km beyond NOVERA, Luserina Liver, 15 m long
2 km before CKUCLEI, Regorljien River, 20 m long
6 km before N.GELDIOLA, Brezovica River, 15 m long
4 km before CICJUVAC, Orljava River, 20 m long
3 km before CIBILJ, Lrsunja River, 15 m long
12 km beyond CIBINJ, Lrsunja River, 15 m long
2 before CLAV.BROD, Lrsunja River, 15 m long
1 km beyond BROD N/S, Glogovica River, 10 m long
1 km beyond GRROIN, Bid Brook, 10 m long
6 km beyond VRPOLJE, Brieznica Brook, 2x10 m long
1 km beyond RUZHIR, Sidina Brook, 10 m long
2 km beyond PUTILCI, Jordina Brook, 10 m long
5 km beyond ZELUE, Cava River, 3 concrete piers, steel
8 structure, 600 m long (see Snnex M)

17 mmcxes:(1)Railroad Station of DUGC SELO (2) lailroad station of Bakeva Januel (3) mailroad oth thon of heveka 4)Railroad Station of Villia Gualda 5) Railroad Station of SISAK 6) Railroad Station of SISAR PALDGREDE 7) Railroad Station of SUNJA 8) mailroad station of JASEROVAC 9) anilroad Station of Nova Karlla addroad Station of Shavershi Baud (11) muilroad chation of VRPCLIE Railroad Station of VINKOVCI Railroad Station of SID Railroad Station of RULA Railroad station of Barajnica Railroad Station of BELGRADE Railroad Bridge scross the Sava River Near BE IGRADE





CONFIDENTIAL

25X1


BANOVA JARUGA Loce Shed Standard bauge Single Track Not to Scale

CONFIDENTIAL




P82-00457R003800120010-0 Approved For Release 2003/08/ 25X1 Annex 3 NOVSKA Standard Gauge - Single Track - Double • Not to Scale CONFIDENTIAL 25X1

Approved For Release 2003/08/11 : CIA-RDP82-00457R003800120010-0








Approved For Release 2003/08/11 : CIA-RDP82-00457R003800 20010-0














CONFIDENTIAL






Annex 15 BATAJNICA RR Material Depoi Station Building Legend: tandard Gauge - Single Track " " - Double " Not to Scale

CONFIDENTIAL







25X1

Approved For Release 2003/08/11 : CIA-RDP82-00457R003800120010-0

Approved For Release 2003/08/11 : CIA-RDP82-00457R003800120010-0 25X1 CONFIDENTIAL SISAK 25X1 CONFIDENTIAL

Approved For Release 2003/08/11 : CIA-RDP82-00457R003800120010-0 25X1 CONFIDENTIAL Annex 10 SLAVONSKI BROD Waggons - Locomotives and Bridges Plant Standard Gauge - Single Track

Double | Narrow Gauge Team Not to give 25X1 CONFIDENTIAL

Approved For Release 2003/08/11 : CIA-RDP82-00457R003800120010-0